

# X100/701

---

NATIONAL  
QUALIFICATIONS  
2002

MONDAY, 27 MAY  
9.00 AM – 12.00 NOON

MATHEMATICS  
ADVANCED HIGHER

## Read carefully

1. Calculators may be used in this paper.
2. There are five Sections in this paper.

Section A assesses the compulsory units Mathematics 1 and 2

Section B assesses the optional unit Mathematics 3

Section C assesses the optional unit Statistics 1

Section D assesses the optional unit Numerical Analysis 1

Section E assesses the optional unit Mechanics 1.

Candidates must attempt Section A (Mathematics 1 and 2) **and one** of the following Sections:

Section B (Mathematics 3)

Section C (Statistics 1)

Section D (Numerical Analysis 1)

Section E (Mechanics 1).

3. **Candidates must use a separate answer book for each Section.** Take care to show clearly the optional section chosen. On the front of the answer book, in the top right hand corner, write B, C, D or E.
4. A booklet of Mathematical Formulae and Statistical Tables is supplied for all candidates. It contains Numerical Analysis formulae and Statistical formulae and tables.
5. **Full credit will be given only where the solution contains appropriate working.**



**Section A (Mathematics 1 and 2)**

*Marks*

**All candidates should attempt this Section.**

**Answer all the questions.**

**A1.** Use Gaussian elimination to solve the following system of equations

$$\begin{aligned}x + y + 3z &= 2 \\2x + y + z &= 2 \\3x + 2y + 5z &= 5.\end{aligned}$$

**5**

**A2.** Verify that  $i$  is a solution of  $z^4 + 4z^3 + 3z^2 + 4z + 2 = 0$ .  
Hence find all the solutions.

**5**

**A3.** A curve is defined by the parametric equations

$$x = t^2 + t - 1, \quad y = 2t^2 - t + 2$$

for all  $t$ . Show that the point  $A$   $(-1, 5)$  lies on the curve and obtain an equation of the tangent to the curve at the point  $A$ .

**6**

**A4.** (a) Given that  $f(x) = \sqrt{x}e^{-x}$ ,  $x \geq 0$ , obtain and simplify  $f'(x)$ .

**4**

(b) Given  $y = (x + 1)^2 (x + 2)^{-4}$  and  $x > 0$ , use logarithmic differentiation to show that  $\frac{dy}{dx}$  can be expressed in the form  $\left(\frac{a}{x+1} + \frac{b}{x+2}\right)y$ ,

stating the values of the constants  $a$  and  $b$ .

**3**

**A5.** Use integration by parts to evaluate  $\int_0^1 \ln(1+x) dx$ .

**5**

**A6.** Use the substitution  $x + 2 = 2 \tan \theta$  to obtain  $\int \frac{1}{x^2 + 4x + 8} dx$ .

**5**

**A7.** Prove by induction that  $4^n - 1$  is divisible by 3 for all positive integers  $n$ .

**5**

- A8.** Express  $\frac{x^2}{(x+1)^2}$  in the form  $A + \frac{B}{x+1} + \frac{C}{(x+1)^2}$ , ( $x \neq -1$ ), stating the values of the constants  $A$ ,  $B$  and  $C$ . 3

A curve is defined by  $y = \frac{x^2}{(x+1)^2}$ , ( $x \neq -1$ ).

- (i) Write down equations for its asymptotes. 2  
 (ii) Find the stationary point and justify its nature. 4  
 (iii) Sketch the curve showing clearly the features found in (a) and (b). 2

- A9.** Functions  $x(t)$  and  $y(t)$  satisfy

$$\frac{dx}{dt} = -x^2y, \quad \frac{dy}{dt} = -xy^2.$$

When  $t = 0$ ,  $x = 1$  and  $y = 2$ .

- (a) Express  $\frac{dy}{dx}$  in terms of  $x$  and  $y$  and hence obtain  $y$  as a function of  $x$ . 5  
 (b) Deduce that  $\frac{dx}{dt} = -2x^3$  and obtain  $x$  as a function of  $t$  for  $t \geq 0$ . 5

- A10.** Define  $S_n(x)$  by

$$S_n(x) = 1 + 2x + 3x^2 + \dots + nx^{n-1},$$

where  $n$  is a positive integer.

Express  $S_n(1)$  in terms of  $n$ . 2

By considering  $(1-x)S_n(x)$ , show that

$$S_n(x) = \frac{1-x^n}{(1-x)^2} - \frac{nx^n}{(1-x)}, \quad x \neq 1. \quad 4$$

Obtain the value of  $\lim_{n \rightarrow \infty} \left\{ \frac{2}{3} + \frac{3}{3^2} + \frac{4}{3^3} + \dots + \frac{n}{3^{n-1}} + \frac{3}{2} \cdot \frac{n}{3^n} \right\}$ . 3

[END OF SECTION A]

**Candidates should now attempt ONE of the following**

**Section B (Mathematics 3) on Page four**

**Section C (Statistics 1) on Pages five and six**

**Section D (Numerical Analysis 1) on Pages seven and eight**

**Section E (Mechanics 1) on Pages nine and ten.**

**Section B (Mathematics 3)**

Marks

**ONLY candidates doing the course Mathematics 1, 2 and 3 should attempt this Section.**

**Answer all the questions.**

**Answer these questions in a separate answer book, showing clearly the section chosen.**

**B1.** (a) Find an equation for the plane  $\pi_1$  which contains the points  $A(1, 1, 0)$ ,  $B(3, 1, -1)$  and  $C(2, 0, -3)$ . 4

(b) Given that  $\pi_2$  is the plane whose equation is  $x + 2y + z = 3$ , calculate the size of the acute angle between the planes  $\pi_1$  and  $\pi_2$ . 3

**B2.** A matrix  $A = \begin{pmatrix} 2 & 1 \\ -1 & 0 \end{pmatrix}$ . Prove by induction that

$$A^n = \begin{pmatrix} n+1 & n \\ -n & 1-n \end{pmatrix},$$

where  $n$  is any positive integer. 6

**B3.** Find the Maclaurin expansion of

$$f(x) = \ln(\cos x), \quad \left(0 \leq x < \frac{\pi}{2}\right),$$

as far as the term in  $x^4$ . 5

**B4.** Write down the  $2 \times 2$  matrix  $A$  representing a reflection in the  $x$ -axis and the  $2 \times 2$  matrix  $B$  representing an anti-clockwise rotation of  $30^\circ$  about the origin.

Hence show that the image of a point  $(x, y)$  under the transformation  $A$  followed by the transformation  $B$  is  $\left(\frac{kx+y}{2}, \frac{x-ky}{2}\right)$ , stating the value of  $k$ . 4

**B5.** Find the general solution of the differential equation

$$\frac{d^2y}{dx^2} + 2\frac{dy}{dx} + 5y = 4 \cos x. \quad 6$$

Hence determine the solution which satisfies  $y(0) = 0$  and  $y'(0) = 1$ . 4

[END OF SECTION B]